

BENCH & PEDESTAL WHEELS

Bench & Pedestal Wheels 6"-10" Diameter - Type 1

Carton Packs

- Straight vitrified wheels used for off-hand tool sharpening and grinding. Common settings for bench and pedestal grinders are in maintenance departments, tool & die shops and metal fabrication shops.
- **A** - Aluminum Oxide for general purpose off-hand work.
- **GC** - Green Silicon Carbide for non-ferrous metals, tungsten carbide for sharpening carbide tools in tool rooms.

H*: 1" Hole, Installed Telescopic Bushings for 3/4", 5/8", and 1/2" Arbors
 H²: 1-1/4" Hole, Installed Telescopic Bushings for 1" and 3/4" Arbors
 H³: 1-1/2" Hole, Installed Telescopic Bushings for 1-1/4" and 1" Arbors
 H⁴: 1-1/4" Hole, Installed Telescopic Bushings for 1", 3/4", 5/8" and 1/2" Arbors



6 x 1/2 x 1 (H*) 4,456 R.P.M.

UPC#	SIZE	CARTON	UNIT
Green Silicon Carbide:			
35005	GC60-I-V	10	20
35006	GC80-I-V	10	20
35007	GC100-I-V	10	20

6 x 3/4 x 1 (H*) 4,456 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
35008	A24-Q-V	10	20
35009	A36-O-V	10	20
35010	A46-M-V	10	20
35011	A60-M-V	10	20
35012	A80-M-V	10	20
Green Silicon Carbide:			
35013	GC60-I-V	10	20
35014	GC80-I-V	10	20
35015	GC100-I-V	10	20

6 x 1 x 1 (H*) 4,456 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
35017	A24-Q-V	10	20
35018	A36-O-V	10	20
35019	A46-M-V	10	20
35020	A60-M-V	10	20
35021	A80-M-V	10	20
Green Silicon Carbide:			
35022	GC60-I-V	10	20
35023	GC80-I-V	10	20
35024	GC100-I-V	10	20

7 x 3/4 x 1 (H*) 3,760 R.P.M.

UPC#	SIZE	CARTON	UNIT
Green Silicon Carbide:			
35031	GC60-I-V	10	20
35032	GC80-I-V	10	20
35033	GC100-I-V	10	20

7 x 1 x 1 (H*) 3,760 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
35034	A24-Q-V	10	20
35035	A36-O-V	10	20
35036	A46-M-V	10	20
35037	A60-M-V	10	20
35038	A80-M-V	10	20
Green Silicon Carbide:			
35039	GC60-I-V	10	20
35040	GC80-I-V	10	20
35041	GC100-I-V	10	20

8 x 3/4 x 1 (H⁴) 3,600 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
35044	A46-M-V	10	20

8 x 1 x 1-1/4 (H⁴) 3,600 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
35046	A24-Q-V	10	20
35047	A36-O-V	10	20
35048	A46-M-V	10	20
35049	A60-M-V	10	20
35050	A80-M-V	10	20
Green Silicon Carbide:			
35051	GC60-I-V	10	20
35052	GC80-I-V	10	20
35053	GC100-I-V	10	20

Bench & Pedestal Wheels 6"-18" Diameter - Type 1 Single Packs



Type 1

- **A** - Aluminum Oxide for general purpose off-hand work.
- **GC** - Green Silicon Carbide for non-ferrous metals, tungsten carbide for sharpening carbide tools in tool rooms.
- **AZ** - Premium Blue Aluminum Oxide for HSS over 55 RC and above, high carbon tool steels and woodworking applications. Engineered for free cutting action while pulling heat away from the part and into the matrix of the wheel.
- **WA** - White Aluminum Oxide highly friable grain for fast and cool cutting. Light grinding of all types of steel including tool and die steels; fast sharpening of all tools.

6 x 1/2 x 1 (H*) 4,456 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38001	A24-Q-V	1	10
38003	A46-M-V	1	10
38004	A60-M-V	1	10
38005	A80-M-V	1	10
Green Silicon Carbide:			
38501	GC60-I-V	1	10
38502	GC80-I-V	1	10
38503	GC100-I-V	1	10

6 x 3/4 x 1 (H*) 4,456 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38006	A24-Q-V	1	10
38007	A36-O-V	1	10
38008	A46-M-V	1	10
38009	A60-M-V	1	10
38010	A80-M-V	1	10
Premium Blue Aluminum Oxide:			
38111	AZ36-K8-V3	1	10
38113	AZ60-K8-V3	1	10
38114	AZ80-K8-V3	1	10
38116	AZ120-K8-V3	1	10
White Aluminum Oxide:			
38613	WA60-K-V	1	10
38616	WA120-K-V	1	10
Green Silicon Carbide:			
38504	GC60-I-V	1	10
38505	GC80-I-V	1	10
38506	GC100-I-V	1	10

6 x 1 x 1 (H*) 4,456 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38011	A24-Q-V	1	10
38012	A36-O-V	1	10
38013	A46-M-V	1	10
38014	A60-M-V	1	10
38015	A80-M-V	1	10
Premium Blue Aluminum Oxide:			
38121	AZ36-K8-V32A	1	10
38123	AZ60-K8-V32A	1	10
38126	AZ120-K8-V32A	1	10
White Aluminum Oxide:			
38623	WA60-K-V	1	10
38626	WA120-K-V	1	10
Green Silicon Carbide:			
38507	GC60-I-V	1	10
38508	GC80-I-V	1	10
38509	GC100-I-V	1	10
38580	GC120-I-V	1	10

7 x 3/4 x 1 (H*) 3,760 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38562	A60-M-V	1	10
Green Silicon Carbide:			
38510	GC60-I-V	1	10
38511	GC80-I-V	1	10
38512	GC100-I-V	1	10



H*: 1" Hole, Installed Telescopic Bushings for 3/4", 5/8", and 1/2" Arbors
 H²: 1-1/4" Hole, Installed Telescopic Bushings for 1" and 3/4" Arbors
 H³: 1-1/2" Hole, Installed Telescopic Bushings for 1-1/4" and 1" Arbors
 H⁴: 1-1/4" Hole, Installed Telescopic Bushings for 1", 3/4", 5/8" and 1/2" Arbors

BENCH & PEDESTAL WHEELS

Single Packs

7 x 1 x 1 (H*) 3,760 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38016	A24-Q-V	1	10
38017	A36-O-V	1	10
38018	A46-M-V	1	10
38019	A60-M-V	1	10
38020	A80-M-V	1	10
Premium Blue Aluminum Oxide:			
38161	AZ36-K8-V32A	1	10
38163	AZ60-K8-V32A	1	10
38164	AZ80-K8-V32A	1	10
38166	AZ120-K8-V32A	1	10
White Aluminum Oxide:			
38663	WA60-K-V	1	10
38666	WA120-K-V	1	10
Green Silicon Carbide:			
38513	GC60-I-V	1	10
38514	GC80-I-V	1	10
38515	GC100-I-V	1	10

8 x 1 x 1-1/4 (H4) 3,600 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38021	A24-Q-V	1	10
38022	A36-O-V	1	10
38023	A46-M-V	1	10
38024	A60-M-V	1	10
38025	A80-M-V	1	10
Premium Blue Aluminum Oxide:			
38201	AZ36-K8-V32A	1	10
38203	AZ60-K8-V32A	1	10
38204	AZ80-K8-V32A	1	10
38206	AZ120-K8-V32A	1	10
White Aluminum Oxide:			
38703	WA60-K-V	1	10
38706	WA120-K-V	1	10
Green Silicon Carbide:			
38516	GC60-I-V	1	10
38517	GC80-I-V	1	10
38518	GC100-I-V	1	10

10 x 1 x 1-1/4 (H2) 2,483 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38026	A24-Q-V	1	5
38027	A36-O-V	1	5
38028	A46-M-V	1	5
38029	A60-M-V	1	5
38030	A80-M-V	1	5
Green Silicon Carbide:			
38519	GC60-I-V	1	5
38520	GC80-I-V	1	5
38521	GC100-I-V	1	5

10 x 1-1/4 x 1-1/4 (H2) 2,483 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
35064	A46/54-M-V	1	5

10 x 1-1/2 x 1-1/4 (H2) 2,483 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38031	A24-Q-V	1	4
38032	A36-O-V	1	4
38033	A46-M-V	1	4
38034	A60-M-V	1	4
38035	A80-M-V	1	4
Green Silicon Carbide:			
38522	GC60-I-V	1	4
38523	GC80-I-V	1	4
38524	GC100-I-V	1	4

10 x 2 x 1-1/4 (H2) 2,483 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
35073	A30/36-O-V	1	2
35074	A54-M-V	1	2

12 x 1 x 1-1/4 (H2) 2,220 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38036	A24-Q-V	1	2
38038	A46-M-V	1	2
38039	A60-M-V	1	2
Green Silicon Carbide:			
38525	GC60-I-V	1	2

H*: 1" Hole, Installed Telescopic Bushings for 3/4", 5/8", and 1/2" Arbors

H2: 1-1/4" Hole, Installed Telescopic Bushings for 1" and 3/4" Arbors

H3: 1-1/2" Hole, Installed Telescopic Bushings for 1-1/4" and 1" Arbors

H4: 1-1/4" Hole, Installed Telescopic Bushings for 1", 3/4", 5/8" and 1/2" Arbors

Single Packs

12 x 1-1/2 x 1-1/4 (H²) 2,220 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38041	A24-Q-V	1	2
38042	A36-O-V	1	2
38043	A46-M-V	1	2
38044	A60-M-V	1	2
Green Silicon Carbide:			
38528	GC60-I-V	1	2
38529	GC80-I-V	1	2

12 x 2 x 1-1/2 (H³) 2,220 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38046	A24-Q-V	1	3
38047	A36-O-V	1	3
38048	A46-M-V	1	3
38049	A60-M-V	1	3
38050	A80-M-V	1	3
Green Silicon Carbide:			
38531	GC60-I-V	1	3
38532	GC80-I-V	1	3
38533	GC100-I-V	1	3

14 x 2 x 1-1/2 (H³) 1,910 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
38051	A24-Q-V	1	3
38052	A36-O-V	1	3
38053	A46-M-V	1	3
38054	A60-M-V	1	3
38055	A80-M-V	1	3
Green Silicon Carbide:			
38534	GC60-I-V	1	3
38535	GC80-I-V	1	3

14 x 3 x 1-1/2 x 1-1/4 (H³) 1,773 R.P.M.

UPC#	SIZE	CARTON	UNIT
Brown Aluminum Oxide:			
35107	A24/30-Q-V	1	3
35108	A46/54-M-V	1	3

16 x 2 x 1-1/2 (H³) 1,550 R.P.M.

UPC#	SIZE	UNIT
Brown Aluminum Oxide:		
35109	A24-Q-V	1
35110	A36-M-V	1

18 x 3 x 1-1/2 (H³) 1,485 R.P.M.

UPC#	SIZE	UNIT
Brown Aluminum Oxide:		
35112	A24-Q-V	1
35113	A36-O-V	1
35114	A54-M-V	1



H*: 1" Hole, Installed Telescopic Bushings for 3/4", 5/8", and 1/2" Arbors
 H²: 1-1/4" Hole, Installed Telescopic Bushings for 1" and 3/4" Arbors
 H³: 1-1/2" Hole, Installed Telescopic Bushings for 1-1/4" and 1" Arbors
 H⁴: 1-1/4" Hole, Installed Telescopic Bushings for 1", 3/4", 5/8" and 1/2" Arbors

ECONOMY BENCH WHEELS



Fast Cut Bench & Pedestal Wheels - Type 1

- Economy choice, excellent performance & price!
- Type 1 vitrified wheels used for off-hand tool sharpening and grinding. Common settings for bench and pedestal grinders are in maintenance departments, tool & die shops and metal fabrication shops.
- A - Semi-friable Aluminum Oxide for general purpose off-hand work.
- GC - Green Silicon Carbide for non-ferrous metals, tungsten carbide for sharpening carbide tools in tool rooms.



Type 1



FAST CUT ECONOMY BENCH WHEELS

6 x 1/2 x 1 (H*)			4,456 RPM	
UPC #	GRIT	SPEC	CRT QTY	MASTER PACK
Aluminum Oxide				
38300	60	GC60-M-V	1	10
38301	80	GC80-M-V	1	10
38302	100	GC100-M-V	1	10

6 x 3/4 x 1 (H*)			4,456 RPM	
UPC #	GRIT	SPEC	CRT QTY	MASTER PACK
Aluminum Oxide				
38303	36	A36-M-V	1	10
38304	40	A46-M-V	1	10
38305	60	A60-M-V	1	10
38306	80	A80-M-V	1	10
Green Silicon Carbide				
38307	60	GC60-M-V	1	10
38308	80	GC80-M-V	1	10
38309	100	GC100-M-V	1	10

6 x 1 x 1 (H*)			4,456 RPM	
UPC #	GRIT	SPEC	CRT QTY	MASTER PACK
Aluminum Oxide				
38310	36	A36-M-V	1	10
38311	40	A46-M-V	1	10
38312	60	A60-M-V	1	10
38313	80	A80-M-V	1	10
Green Silicon Carbide				
38314	60	GC60-M-V	1	10
38315	80	GC80-M-V	1	10
38316	100	GC100-M-V	1	10

7 x 1 x 1 (H*)			3,760 RPM	
UPC #	GRIT	SPEC	CRT QTY	MASTER PACK
Aluminum Oxide				
38317	36	A36-M-V	1	5
38318	46	A46-M-V	1	5
38319	60	A60-M-V	1	5
Green Silicon Carbide				
38320	60	GC60-M-V	1	5
38321	80	GC80-M-V	1	5
38322	100	GC100-M-V	1	5

8 x 1 x 1-1/4 (H*)			3,600 RPM	
UPC #	GRIT	SPEC	CRT QTY	MASTER PACK
Aluminum Oxide				
38323	36	A36-M-V	1	5
38324	46	A46-M-V	1	5
38325	60	A60-M-V	1	5
38326	80	A80-M-V	1	5
Green Silicon Carbide				
38327	60	GC60-M-V	1	5
38328	80	GC80-M-V	1	5
38329	100	GC100-M-V	1	5



- H*: 1" Hole, Installed Telescopic Bushings for 3/4", 5/8", and 1/2" Arbors
 H2: 1-1/4" Hole, Installed Telescopic Bushings for 1" and 3/4" Arbors
 H3: 1-1/2" Hole, Installed Telescopic Bushings for 1-1/4" and 1" Arbors
 H4: 1-1/4" Hole, Installed Telescopic Bushings for 1", 3/4", 5/8" and 1/2" Arbors