

Welding Accessories

Tillman's back-hand pads are designed to be worn over the back of a welding glove to provide extra protection in high heat situations.

BACK-HAND PADS: Triple Layer



556
Deluxe Protection

(Kevlar® stitched and stapled)

554

- Top: Aluminized Carbon Kevlar®
- Middle: Layer of 1500°F melt, ceramic wool material
- Bottom: Acrylic coated fiberglass
- Leather and elastic straps
- 7 1/2" H x 5 1/2" W



554
Heavy Duty Protection
(with ceramic wool middle layer)

556

- Reversible, triple layer protection
- Aluminized Carbon Kevlar® top and bottom
- Middle layer 1/2" glass mat insulation
- Leather and elastic straps Kevlar® stitched and stapled for added strength
- Straps can be reversed to opposite side
- Also available in:
 - 556AR** - same back-hand pad except top and bottom layers made from Aluminized Rayon
- Both pads size 7 1/2"H x 5 3/4"W

552

- Top: Aluminized Carbon Kevlar®
- Middle/Bottom: Two layers of vermiculite coated fiberglass
- Heavy duty leather straps: Fixed top strap, adjustable bottom strap with hook/loop closure
- 7 1/2" H x 5 1/2" W



552
Heavy Duty Protection

BACK-HAND PADS: Double Layer

550
Standard Protection



550X
Economy Protection



550, 550X

- Leather and elastic straps
- 7 1/2" H x 5 1/2" W

550

- Top: Aluminized Carbon Kevlar®
- Bottom: Vermiculite coated fiberglass

550X

- Top: Aluminized Rayon
- Bottom: Acrylic coated fiberglass

Aluminized Materials

Aluminized Rayon (AR)

- Great heat reflection, not good for heavy spatter

Aluminized Carbon Kevlar® (ACK)

- Most resistant material to heat, sparks and spatter

555

- Aluminized Carbon Kevlar®
- Designed to protect back of hand and fingertips
- Single elastic strap
- 9 1/2" H x 5 1/4" W



555
Standard Protection Single Layer

All back-hand pads sold in eaches

Welding Accessories

ARM PADS




Arm Pad opened

5210

- Designed to protect forearm with 1/2" closed cell foam on bottom for protection from heat when resting arm on pipe being welded
- Specially tanned leather provides greater heat resistance and protection from sparks and spatter
- Interior elastic bands keep pad in place
- Hook and loop closure for adjustable fit
- **5210SL** - Left arm pad
- **5210SR** - Right arm pad


WELDING KNEELING PAD



563-1224

- 12" X 24" size is lightweight, portable, and easy to store
- Designed for welding applications that require kneeling
- Durable cowhide split leather resists sparks & spatter
- Dense foam pad insert adds extra cushioning
- Sewn with Kevlar® thread for heat / spark resistance and strength

KNEE PADS



562

- Cowhide split leather for prolonged wear
- Sewn with Kevlar® thread for strength and heat resistance
- Soft and comfortable foam insert
- Adjustable leather straps for secure fit

564

- Heavy duty and comfortable rubber
- Adjustable elastic / hook and loop closure straps

565

- Rugged polypropylene cap
- Soft and comfortable foam
- Adjustable elastic / hook and loop closure straps

Welding Accessories

HEAD GEAR PADS



569

- Pigskin leather sweatband
- 8 1/2"H x 3 1/4" W



560

- Sheepskin headgear pad
- 6 3/4"H x 4 1/4" W



561

- Sheepskin headgear pad with ratchet adjustor hole
- 7" H x 5" W

ROD HOLDER

525 Cowhide Side Split Leather Rod Bag

525

- Reinforced bottom
- Spring clip
- Sewn with Kevlar®
- 14"H x 3 1/2" W



HELMET BIBS



Helmet shown with 566 helmet bib with metal clips attached.



566

- Cowhide split leather helmet bib with metal clips
- 8" H x 8" W



567

- Cowhide split leather helmet bib with hook/loop closure
- 8" H x 8" W

Welding Accessories

CABLE COVERS

- 581, 582**
- Select side split cowhide for durability
 - Sewn with Kevlar® thread
 - Multiple lengths available
 - Snap or hook/loop closure options



Length	Snap Closure (Entire Length)		Hook/Loop Closure (Entire Length)	
	1.25" Diameter (4.25" width when flat)	1.75" Diameter (6" width when flat)	1.25" Diameter (4.25" width when flat)	1.75" Diameter (6" width when flat)
12.5 Ft.	581-125	582-125		
22.5 Ft.	581-225	582-225		
25 Ft.	581C25	582C25	581V25	582V25
50 Ft.	581C50	582C50	581V50	582V50
100 Ft. Roll	581-100	582-100	581-100V	582-100V
Custom	581 (Specify Size)	582 (Specify Size)	581V (Specify Size)	582V (Specify Size)

STORAGE

520
Helmet Bag



- 520**
- Made from tough 600 denier coated polyester
 - Large capacity main compartment with drawstring closure
 - Holds all welding helmets and safety shields
 - Front pocket with hook/loop closure
 - Two mesh side pockets for welding gloves, small tools
 - 18"H x 12"W x 12"D

